

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>1</b>	<b>73</b>	<b>m unting near system and object and project\$3 adj member</b>	<b>USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:23</b>
<b>2</b>	<b>1</b>	<b>mounting near system and object and project\$3 adj member and 29/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:25</b>
<b>3</b>	<b>5</b>	<b>mounting near system and project\$3 adj member and 29/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:25</b>
<b>4</b>	<b>6</b>	<b>mounting near apparatus and project\$3 adj member and 29/\$.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:26</b>
<b>5</b>	<b>1</b>	<b>mounting near apparatus and image adj detect\$3 and project\$3 and 29/740.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:27</b>
<b>6</b>	<b>4</b>	<b>mounting near apparatus and image adj detect\$3 and project\$3 and (29/703; 29/712 ; 29/740 ; 29/742 ; 29/743 ; 29/759 ; 29/760 ; 29/833 ; 29/834 ; 294/2 ; 294/64.1 ; 414/737 ; 414/752; 901/40).ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:29</b>
<b>7</b>	<b>102</b>	<b>mounting near apparatus and image and project\$3 and (29/703; 29/712 ; 29/740 ; 29/742 ; 29/743 ; 29/759 ; 29/760 ; 29/833 ; 29/834 ; 294/2 ; 294/64.1 ; 414/737 ; 414/752; 901/40).ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:29</b>
<b>8</b>	<b>1</b>	<b>mounting near apparatus and image and project\$3 and (29/703; 29/712 ; 29/740 ; 29/742 ; 29/743 ; 29/759 ; 29/760 ; 29/833 ; 29/834 ; 294/2 ; 294/64.1 ; 414/737 ; 414/752; 901/40).ccls. and projecting near member</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/03/02 16:30</b>

	<b>Title</b>	<b>Current OR</b>
<b>1</b>	<b>Meth d and apparatus f r m unting c mp n nt</b>	<b>29/25.01</b>
<b>2</b>	<b>Meth d and apparatus for m unting component</b>	<b>29/25.01</b>
<b>3</b>	<b>Spring loaded field cultivator tool support</b>	<b>172/710</b>
<b>4</b>	<b>Apparatus for removing a tamping tool from its holder</b>	<b>29/252</b>
<b>5</b>	<b>APPARATUS FOR APPLYING TERMINALS FROM A CARRIER STRIP TO WIRE</b>	<b>29/566.2</b>
<b>6</b>	<b>METHOD AND APPARATUS OF MOUNTING AND SECURING A RECTILINEAR ELEMENT ON A SUPPORT MEMBER OF A</b>	<b>29/243.5</b>

	<b>Current XRef</b>
<b>1</b>	<b>438/464</b>
<b>2</b>	
<b>3</b>	<b>29/509</b>
<b>4</b>	
<b>5</b>	<b>29/753</b>
<b>6</b>	<b>29/283</b>